




# CITY OF HIALEAH GARDENS DRIVEWAY DETAIL


## DRIVEWAY PAVER DETAIL OPTION 1

- (A) 2" MIN. PAVER
- (B) 2" MAX. LEVELING SAND
- (C) 6" MIN. LIMEROCK
- (D) COMPACTED BASE
- (E) 1 #4 MIN. CONTINUOUS




## DRIVEWAY PAVER DETAIL OPTION 2

- (A) 2" MIN. PAVER
- (B) 2" MAX. LEVELING SAND
- (C) 6" MIN. LIMEROCK
- (D) COMPACTED BASE
- (E) 1 #5 MIN. CONTINUOUS
- (F) MORTAR SET END PAVER




## CONCRETE DRIVEWAY DETAIL

- (A) 4" MIN. CONCRETE FIBER MESH
  - (B) COMPACTED BASE
- REQUIRED: 3000PSI



## NEW ASPHALT DRIVEWAY DETAIL

- (A) 1" MIN. ASPHALT
- (B) 6" MIN. LIMEROCK
- (C) COMPACTED BASE



## ASPHALT RESURFACE OVER EXISTING DRIVEWAY

- (A) 1" MIN. ASPHALT
- (B) 1 LAYER HOT MOP
- (C) EXISTING ASPHALT - NO LOOSE MATERIAL
- (D) EXISTING LIMEROCK BASE
- (E) EXISTING COMPACTED BASE

